



Spare Parts Table

- [Spares Support Table, on page 1](#)

Spares Support Table

Product	Chassis Height (Rack Units)	Power Supply Options	Fan Options	Accessory Kits
Nexus 3132C-Z	1 RU	<p>AC port-side intake (NXA-PAC-650W-PI)</p> <p>AC port-side exhaust (NXA-PAC-650W-PE)</p> <p>HVAC/HVDC dual-direction airflow (N9K-PUV-1200W)</p> <p>DC port-side exhaust (NXA-PDC-930W-PE)</p> <p>DC port-side intake (NXA-PDC-930W-PI)</p> <p>930W-DC PSU is supported in redundancy mode if 3.5W QSFP+ modules or Passive QSFP cables are used & the system is used in 40C ambient temp or less; for other optics or higher ambient temps, 930W-DC is supported with 2 PSU's in non-redundancy mode only.</p>	<p>Port-side exhaust (NXA-FAN-30CFM-F)</p> <p>Port-side intake (NXA-FAN-30CFM-B)</p>	<p>Accessory kit (N9K-C9300-ACK)</p> <p>Rack mount kit (N3K-C3064-ACC-KIT)</p> <p>Rack mount kit (NXX-ACC-KIT-1RU)</p> <p>Filler blank module (N2200-P-BLNK)</p>

Product	Chassis Height (Rack Units)	Power Supply Options	Fan Options	Accessory Kits
Nexus 3016	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=)	Port-side exhaust (N3K-C3064-FAN=) Port-side intake (N3K-C3064-FAN-B=)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT)
Nexus 3048	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=)	Port-side exhaust (N3K-C3048-FAN=) Port-side intake (N3K-C3048-FAN-B=)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT)
Nexus 3064-T and 3064-32T	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) AC port-side exhaust (NXA-PAC-500W=) AC port-side intake (NXA-PAC-500W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=)	Port-side exhaust (N3K-C3048-FAN=) Port-side intake (N3K-C3048-FAN-B=)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT)
Nexus 3064-X	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=)	Port-side exhaust (N3K-C3048-FAN=) Port-side intake (N3K-C3048-FAN-B=)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT)

Product	Chassis Height (Rack Units)	Power Supply Options	Fan Options	Accessory Kits
Nexus 3132Q	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=)	Port-side exhaust (NXA-FAN-30CFM-F) Port-side intake (NXA-FAN-30CFM-B)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT) Filler blank module (N2200-P-BLNK)
Nexus 3132Q-V	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=) AC port-side intake (NXA-PAC-650W-PI) AC port-side exhaust (NXA-PAC-650W-PE) AC port-side exhaust (N9K-PAC-650W-B=) AC port-side intake (N9K-PAC-650W=) DC port-side intake (UCSC-PSU-930WDC=)	Port-side exhaust (NXA-FAN-30CFM-F) Port-side intake (NXA-FAN-30CFM-B)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT) Filler blank module (N2200-P-BLNK)
Nexus 3132Q-X	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=)	Port-side exhaust (NXA-FAN-30CFM-F) Port-side intake (NXA-FAN-30CFM-B)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT) Filler blank module (N2200-P-BLNK)

Product	Chassis Height (Rack Units)	Power Supply Options	Fan Options	Accessory Kits
Nexus 3132QXL	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=)	Port-side exhaust (NXA-FAN-30CFM-F) Port-side intake (NXA-FAN-30CFM-B)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT) Filler blank module (N2200-P-BLNK)
Nexus 3164Q	2 RU	AC port-side exhaust (N9K-PAC-1200W-B=) AC port-side intake (N9K-PAC-1200W=)	Port-side exhaust (N9K-C9300-FAN-B) Port-side intake (N9K-C9300-FAN3)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N9K-C9300-RMK)
Nexus 3172PQ	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) AC port-side exhaust (NXA-PAC-500W=) AC port-side intake (NXA-PAC-500W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=)	Port-side exhaust (NXA-FAN-30CFM-F) Port-side intake (NXA-FAN-30CFM-B)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT) Filler blank module (N2200-P-BLNK)
Nexus 3172QXL	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) AC port-side exhaust (NXA-PAC-500W=) AC port-side intake (NXA-PAC-500W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=)	Port-side exhaust (NXA-FAN-30CFM-F) Port-side intake (NXA-FAN-30CFM-B)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT) Filler blank module (N2200-P-BLNK)

Product	Chassis Height (Rack Units)	Power Supply Options	Fan Options	Accessory Kits
Nexus 3172TQ and 3172QBT	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) AC port-side exhaust (NXA-PAC-500W=) AC port-side intake (NXA-PAC-500W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=)	Port-side exhaust (NXA-FAN-30CFM-F) Port-side intake (NXA-FAN-30CFM-B)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT) Filler blank module (N2200-P-BLNK)
Nexus 3172QXL	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) AC port-side exhaust (NXA-PAC-500W=) AC port-side intake (NXA-PAC-500W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=)	Port-side exhaust (NXA-FAN-30CFM-F) Port-side intake (NXA-FAN-30CFM-B)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT) Filler blank module (N2200-P-BLNK)
Nexus 3232C	1 RU	AC port-side exhaust (N9K-PAC-650W-B=) AC port-side intake (N9K-PAC-650W=) DC port-side intake (UCSC-PSU-930WDC=)	Port-side exhaust (NXA-FAN-30CFM-F) Port-side intake (NXA-FAN-30CFM-B)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT) Filler blank module (N2200-P-BLNK)

Product	Chassis Height (Rack Units)	Power Supply Options	Fan Options	Accessory Kits
Nexus 3264C-E	2 RU	<p>AC port-side exhaust (NXA-PAC-1200W-PE)</p> <p>AC port-side intake (NXA-PAC-1200W-PI)</p> <p>HVAC/HVDC dual-direction airflow (N9K-PUV-1200W)</p> <p>DC port-side exhaust (NXA-PDC-930W-PE)</p> <p>DC port-side intake (NXA-PDC-930W-PI)</p> <p>930W-DC PSU is supported in redundancy mode if 3.5W QSFP+ modules or Passive QSFP cables are used & the system is used in 40C ambient temp or less; for other optics or higher ambient temps, 930W-DC is supported with 2 PSU's in non-redundancy mode only.</p>	<p>Port-side exhaust (NXA-FAN-160CFM-PE)</p> <p>Port-side intake (NXA-FAN-160CFM-PE)</p>	<p>Accessory kit (N9K-C9300-ACK)</p> <p>Rack mount kit (NXX-ACC-RMK-2RU)</p>
Nexus 3264Q	2 RU	<p>AC port-side exhaust (N9K-PAC-650W-B=)</p> <p>AC port-side intake (N9K-PAC-650W=)</p>	<p>Port-side exhaust (N9K-C9300-FAN-B)</p> <p>Port-side intake (N9K-C9300-FAN3)</p> <p>1</p>	<p>Accessory kit (N9K-C9300-ACK)</p> <p>Rack mount kit (N9K-C9300-RMK)</p>

Product	Chassis Height (Rack Units)	Power Supply Options	Fan Options	Accessory Kits
Nexus 3108CV	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=) AC port-side intake (NXA-PAC-650W-PI) AC port-side exhaust (NXA-PAC-650W-PE) AC port-side exhaust (N9K-PAC-650W-B=) AC port-side intake (N9K-PAC-650W=) DC port-side intake (UCSC-PSU-930WDC=)	Port-side exhaust (NXA-FAN-30CFM-F) Port-side intake (NXA-FAN-30CFM-B)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT) Filler blank module (N2200-P-BLNK)
Nexus 3108ICV	1 RU	AC port-side exhaust (N2200-PAC-400W=) AC port-side intake (N2200-PAC-400W-B=) DC port-side exhaust (N2200-PDC-400W=) DC port-side intake (N3K-PDC-350W-B=) AC port-side intake (NXA-PAC-650W-PI) AC port-side exhaust (NXA-PAC-650W-PE) AC port-side exhaust (N9K-PAC-650W-B=) AC port-side intake (N9K-PAC-650W=) DC port-side intake (UCSC-PSU-930WDC=)	Port-side exhaust (NXA-FAN-30CFM-F) Port-side intake (NXA-FAN-30CFM-B)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N3K-C3064-ACC-KIT) Filler blank module (N2200-P-BLNK)

Product	Chassis Height (Rack Units)	Power Supply Options	Fan Options	Accessory Kits
Nexus 31128PQ	2 RU	AC port-side exhaust (N9K-PAC-650W-B=) AC port-side intake (N9K-PAC-650W=) DC port-side exhaust (UCSC-PSU-930WDC=) DC port-side intake (UCS-PSU-6332-DC=)	Port-side exhaust (N9K-C9300-FAN-B) Port-side intake (N9K-C9300-FAN3)	Accessory kit (N9K-C9300-ACK) Rack mount kit (N9K-C9300-RMK)

¹ **Note** *Table 1: Fan Speeds for this Switch*

	Port-Side Intake Fan Speed %	Port-Side Exhaust Fan Speed %
Typical/Minimum	50%	70%
Maximum	100%	100%